



SANY SERVICES -**YOU CAN RELY ON**

FLEXIBLE, FAST AND ALWAYS CLOSE BY -THAT IS OUR PERFORMANCE PROMISE

Rapid assistance, tailored advice and a reliable supply of spare parts – that is what we mean by a premium service. At the same time, it is the basis for reliability and maximum availability – over a very long period of time. Your SANY dealer is happy to assist you with comprehensive services to ensure that your machine runs and runs and runs...



FINANCING AND INSURANCE

SANY offers comprehensive services in close cooperation with SANY Finance to supply a preferred finance solution to our customers.



DOCUMENTATION

Handbooks with instructions as well as comprehensive documentation for maintenance and operation are available for all SANY machines.



PARTS SUPPLY

Our dedicated parts warehouse in Glasgow has over 15000 part lines in stock for our UK & Ireland dealers and customers. Parts are delivered daily to our dealer network to ensure quick response times and to make sure SANY machines are kept running at all times.



MAINTENANCE AND SUPPORT

There is an extensive network of dealers who, thanks to SANY's special training programme, are always kept up-to-date with the latest technology.



TRAINING COURSES

Our certified dealers undergo training on an ongoing basis and offer a training programme individually tailored to the customer's needs.



ORIGINAL SPARE PARTS

SANY original spare parts guarantee the highest quality and performance for your SANY machine, so that you can save costs and increase your machine's operating times.

SANY TOP PROPERTIES

DURABLE AND ROBUST

The most important protective elements and structural components and all cladding parts are made of high-quality metal. A heavy-duty undercarriage and precise, robot-manufactured welded seams ensure durability for tough everyday conditions on the construction site.

SAFETY FOR PEOPLE AND MACHINES

We have built a comprehensive safety package into our machines, including a camera, driving alarm, rotating beacon, boom safety valve, overload warning, emergency switch, battery isolation switch etc. The hydraulic cylinders are protected by stable protective plates.

COMPACT AND POWERFUL

Our short-tail excavator in particular, ensures efficient working and masterful manoeuvring even in confined spaces. The agile power and outstanding stability allow work to be carried out quickly and with energy.

TRIED AND TESTED COMPONENTS

Engines by tried and tested brands guarantee reliable performance even under strenuous working conditions. A finely tuned hydraulic system and other high-quality components maximise the machine's durability.

COMFORTABLE WORKSTATION

From easy entry to the comfortable seat which supports the driver's back and the ergonomically designed controls, the driver can enjoy maximum comfort. Naturally, the hydraulics operate cleanly and precisely – for the best work results.

ECONOMIC THANKS TO EFFICIENCY AND POWER

The smart hydraulic control system adapts the pump power to the available engine power. This means greater efficiency and lower fuel consumption, thereby providing excellent cost-effectiveness.





MINI EXCAVATORS

SY16C | SY18C



- + Width-adjustable chassis
- + Proportional auxiliary control circuit via joystick operation as standard
- + LED work lighting

- + Cab or canopy
- + Load-sensing hydraulic system
- + Stage V

CAN FIT INTO ANY SPACE

perating mass	1 825 kg / 1 925 kg
Rated power	14.6 kW / 2400 rpm
Max. digging depth	2360 mm
Max. dumping height	2635 mm
ail swing radius	920 mm
ength.	3640 mm
Vidth	980 / 1 350 mm
leight .	2 420 mm



MINI EXCAVATORS

SY26U



- + Two proportional auxiliary control circuits on the joystick
- + Large display
- + LED work lighting

- + Load-sensing hydraulic system
- + Stage V
- + Suspension seat

WHEN MANOEUVRABILITY MATTERS

Operating mass	2760 kg
Rated power	15.2 kW / 2500 rpm
Max. digging depth	2820 mm
Max. dumping height	3 100 mm
Tail swing radius	775 mm
Length	4 285 mm
Width	1 550 mm
Height	2430 mm



MINI EXCAVATORS



- + Air conditioning system
- + Large display
- + LED work lighting

- + Extensive hydraulic equipment
- + Load-sensing hydraulic system
- + Stage V

A POWERFUL LIGHTWEIGHT

Operating mass	3 860 kg
Rated power	18.2 kW / 2200 rpm
Max. digging depth	3 105 mm
Max. dumping height	3 460 mm
Tail swing radius	860 mm
Length	4915 mm
Width	1720 mm
Height	2515 mm



MINI EXCAVATORS





- + Air conditioning system
- + Large display
- + LED work lighting
- + Load-sensing hydraulic system

- + Automatic speed setting
- ♣ 2 proportional auxiliary control circuits on the joystick
- + Stage V

GREAT PERFORMANCE, SMALL PACKAGE

perating mass	5 3 0 0 kg
ated power	29.1 kW / 2400 rpm
lax. digging depth	3 420 mm
lax. dumping height	3 8 0 5 mm
ail swing radius	980 mm
ength	5 3 9 0 mm
/idth	1960 mm
eight	2630 mm







COMPACT EXCAVATOR

SY75C



- + Comfortable driver's cab with modern equipment
- + Extensive programming options for attachment devices
- + Rear view camera

- + High-resolution 7" touchscreen display
- + 2 proportional auxiliary control circuits on the joystick
- + Stage V

COMPACT POWERHOUSE

perating mass	7280 kg
Rated power	42.4 kW / 1900 rpm
Max. digging depth	4450 mm
Max. dumping height	5 490 mm
ail swing radius	1 940 mm
ength	6115 mm
Vidth	2220 mm
leight	2570 mm



COMPACT EXCAVATOR



- + Extremely compact short-tail-swing excavator
- + Comfortable driver's cab
- + Hydraulic pipework for quick coupler attachement

- + 2 proportional auxiliary control circuits on the joystick
- + LED work lighting
- + Gear switching on the blade lever

EFFICIENCY IN THE SMALLEST OF SPACES

Operating mass	8 800 kg
Rated power	53.7 kW / 2100 rpm
Max. digging depth	4 535 mm
Max. dumping height	5 430 mm
Tail swing radius	1 480 mm
Length	6 500 mm
Width	2 220 mm
Height	2550 mm



COMPACT EXCAVATOR SY135C



- + Automatic climate control
- + Touchscreen display
- + LED work lighting

- + Reinforced chassis
- + Air-suspension seat
- + Rear view camera

CHAMPION IN ITS CLASS

Operating mass	14666 kg
Rated power	78.5 kW / 2000 rpm
Max. digging depth	5 970 mm
Max. dumping height	6 630 mm
Tail swing radius	2610 mm
Length	7 500 mm
Width	2 590 mm
Height	2820 mm



COMPACT EXCAVATOR

SY155U



- + Air-suspension seat
- + Reinforced chassis
- **★** 2 proportional auxiliary control circuits on the joystick

- + Stage V
- **+** Short-tail machine with compact dimensions
- + Rear view camera

PRODUCTIVITY DELIVERED TODAY

Operating mass	16 170 kg
Rated power	78.5 kW / 1900 rpm
Max. digging depth	6 020 mm
Max. dumping height	7 200 mm
Tail swing radius	1 500 mm
Length	8 0 1 5 mm
Width	2 590 mm
Height	2 020 mm









- + Air-suspension seat
- + ZF gearbox and Deutz engine
- + Fast and powerful hydraulics

- Two-piece-boom
- + Rear view camera
- + Stage V

READY FOR ANY TERRAIN

Operating mass	15 000 kg
Rated power	115 kW / 2000 rpm
Max. digging depth	5 4 0 0 mm
Max. dumping height	7200 mm
Tail swing radius	2195 mm
_ength	8 200 / 6 180 mm
Width	2550 mm
Height	3200 / 3996 mm





CRAWLER EXCAVATOR SY215C



- + 10" touchscreen display
- + 2 cameras as standard
- **★** 5 different attachment devices can be programmed for each category

- + Seat with adjustable control panels
- + Stage V
- + 2 proportional auxiliary lines as standard

PRECISE POWER

perating mass	22 800 kg
ated power	129 kW / 2200 rpm
Max. digging depth	6 450 mm
Max. dumping height	6735 mm
ail swing radius	2950 mm
ength	9635 mm
Vidth	3 080 mm
leight	3 3 7 0 mm



CRAWLER EXCAVATOR



- + 10" touchscreen display
- + Stage V
- + 2 cameras as standard

- + Fast, powerful hydraulics
- + Heavy-duty undercarriage
- + Comfortable driver's cab

CRAWLER EXCAVATOR



- + 10" touchscreen display
- + 2 cameras as standard
- + 5 different attachment devices can be programmed for each category

- + Seat with adjustable control panels
- + 2 proportional auxiliary lines as standard
- + Convenient switching of hammer/shear hydraulics

HIGH-TECH SOLUTIONS REDEFINED

Operating mass	27 000 kg
Rated power	145 kW / 2000 rpm
Max. digging depth	6 705 mm
Max. dumping height	6 735 mm
Tail swing radius	3 105 mm
Length	10 290 mm
Width	3 190 mm
Height	3 2 2 5 mm



STRONG POWERFUL

Operating mass	32 265 kg
Rated power	209 kW / 2100 rpm
Max. digging depth	6 815 mm
Max. dumping height	7 360 mm
Tail swing radius	2 590 mm
Length	10 667 mm
Width	3 190 mm
Height	3 280 mm



23

CRAWLER EXCAVATOR

SY390H



★ 10" touchscreen display

- + LED work lighting
- + Seat with adjustable control panels + Camera

+ Stage V

READY FOR BIG CHALLENGES

perating mass	40 000 kg
ated power	252 kW / 2100 rpm
lax. digging depth	7 125 mm
lax. dumping height	7 490 mm
ail swing radius	3 550 mm
ength	11 430 mm
/idth	3190 mm
eight	3780 mm





CRAWLER EXCAVATOR

SY500H



- + Efficient engine
- + Comfortable driver's cab
- + Fast, powerful hydraulics

- + Various working modes
- + High-quality welded seams
- + Easily accessible maintenance areas

HIGH PERFORMANCE INCLUDED

Operating mass	52 500 kg
Rated power	298 kW / 2100 rpm
Max. digging depth	7705 mm
Max. dumping height	7 650 mm
Tail swing radius	3740 mm
Length	12 100 mm
Width	3 600 mm
Height	3 600 mm







DEMOLITION EXCAVATOR + Wide, telescopic chassis

- + Stability on the construction site
 - narrow when transported by road
- ♣ Boom with 28 m operating range

- + Large-volume engine
- + Fast, powerful hydraulics

VERSATILE SPECIALIST

	Operating mass	64000 kg
	Rated power	298 kW / 2100 rpm
	Length	20 000 mm
	Width	3 400 mm
	Height	3 800 mm



QUALITY COMES FROM ABILITY AND ACTION

THE PERFECT COMBINATION OF IDEAS, TECHNOLOGY AND IMPLEMENTATION

SANY manufactures products that are renowned worldwide for their quality and meet all European standards. In Bedburg near Cologne, the high-quality welded steel construction and European components such as the engine, hydraulics and controls are unified/brought together/assembled into an impressive powerhouse.



SANY's five-year warranty* gives you the assurance that you can fully count

* Terms and conditions apply. Check with your

on your equipment.

local dealer for more information



FLEXIBLE, FAST AND ALWAYS THERE FOR YOU





www.sanyuk.com

THE ADDED BENEFITS SANY OFFERS YOU

We would be happy to advise you, offer financing options and, naturally, take care of maintenance and service.



Quality Changes the World

SANY HEAVY MACHINERY (UK) LTD

info@sanyuk.com www.sanyuk.com 1EX - PROV - 1202 - 80 - EN - V1.